






## UPHOLSTERY FABRIC SPECIFICATION

DESIGN	WRAP	REPORT No.	A.C.T.030
CONTENT	68% Australian worsted wool 32% olefin		
WIDTH	54" (137cm)	DATE	04/08/05
ROLL SIZE	66yds (60m)	WEIGHT	8 oz sq yd (270gsm)
PATTERN REPEAT	H Nil / V 1 <sup>3</sup> / <sub>4</sub> " (4.5cm)	RECOMMENDED CARE CODE	- S

Item	Test Method	Test Results
 Heavy Duty Upholstery	ASTM 4966 Martindale (21oz weight) Report # DJH 246463	40,000
	California Bulletin 117 Section E Report # APPLIED 12928	Compliance
	ASTM E 84 (unadhered method) ANSI 2.5, NFPA 255, UBC 42-1, UL 723 Report # APPLIED 12959	Flame Spread Index 20 Smoke Developed Index 160 Class 1 or A
	AATCC 8 Report # APPLIED 12928	Dry Crocking 4.5 Wet Crocking 4.0
	AATCC 16E Report # APPLIED 12928	5.0
	ASTM D5034 Breaking Strength Grab Method Report # APPLIED 12928	Warp 112lbs Weft 160lbs
	ASTM D 3511 Brush Pill Report # APPLIED 12928	5.0
	ASTM D3597-D434 Seam Slippage Report # APPLIED 12928	Warp 35.84 lbs Weft 34.04lbs
<b>ENVIRONMENTAL INFORMATION SYSTEM</b>	<u>Raw Materials</u> - 68% rapidly-renewable content - 32% low-embodied-energy material : Olefin has a lower embodied energy compared to polyester and nylon <u>Production</u> - Environmental Improved Production Process : reduced energy & water consumption, reuse of water (30%), reuse/recycling of waste <u>Human Health</u> - Wool absorbs prevalent indoor air contaminants therefore benefiting indoor air quality <u>Disposal</u> - Reusable, recyclable and 68% biodegradable (wool content) <u>Other</u> - Manufacturer operates an Environmental Management System	



APPROVED BY:  
Louise Cramp, BSC Textile Technology, Product Manager.

REVISION: R107/01/021101