






UPHOLSTERY FABRIC SPECIFICATION

DESIGN	VERVE	REPORT No.	A.C.T. 023
CONTENT	69% Australian worsted wool 23% flax 8% nylon		
WIDTH	54" (137cm)	DATE	11/24/03
ROLL SIZE	68yds (62m)	WEIGHT	11 oz sq yd (344gsm)
PATTERN REPEAT	H 7 $\frac{7}{8}$ " (20cm) / V 4" (10.2cm)	RECOMMENDED CARE CODE	- S

Item	Test Method	Test Results
 Heavy Duty Upholstery	ASTM 3597 Wyzenbeek modified (#10 cotton duck) Report # AWTA 7-519501-MN	32,500
	ASTM 4966 Martindale (21oz weight) Report # WRONZ 03/1396A	44,750
	California Bulletin 117 Section E Report # Applied Textiles 10134	Compliance
	ASTM E 84 (unadhered method) ANSI 2.5, NFPA 255, UBC 42-1, UL 723 Report # Applied Textiles 10277	Class 2 or B
	IMO Resolution A 652 (16) Report # WRONZ 03/1075	Cigarette Test – PASS Butane Flame Test – PASS
	AATCC 8 Colourfastness to Wet and Dry Crocking Report # AWTA 7-518794-MN	Dry Crocking 4-5 Wet Crocking 4-5
	AATCC 16H (40 hours) Colourfastness to Light Report # Applied Textiles 10086	5
	ASTM D3597-02 / D5034-95 Breaking Strength Grab Method Report # AWTA 7-518794-MN	Warp – 152 lbf (676N) Weft – 128 lbf (571N)
	ASTM D 3511 Brush Pill Report # Applied Textiles 10288	4.5
	ASTM D3597-02 / D434-95 Seam Slippage Report # Applied Textiles 10086	Warp – 42.14 lbf Weft – 41.69 lbf
ENVIRONMENTAL INFORMATION SYSTEM	<u>Raw Materials</u> - 92% rapidly renewable content <u>Production</u> - Environmentally Improved Production Process : reduced water (6% savings) and energy consumption, non-potable water supply (100% rain & ground water), reuse & recycling of waste <u>Human Health</u> - Wool absorbs prevalent indoor air contaminants therefore benefiting indoor air quality <u>Disposal</u> - Reusable, recyclable and 92% biodegradable (natural fibre content) <u>Other</u> - Manufacturer is implementing an Environmental Management System - Manufacturer has certified Quality Management System ISO 9001:2000	



APPROVED BY:
Louise Cramp, BSC Textile Technology, Product Manager.

ACT specification 02/270803